



Britmet Tileform LTD

British manufacturers and suppliers of lightweight roofing tiles.
'Keeping the pound in Britain making our economy stronger.'



Tel: 01295 250998

Email: sales@Britmet.co.uk



SLATE 2000 ON HIGH RISK BUILDINGS

Areas of high vandalism such as schools, community building, prisons, MOD properties and pavilions

To areas of high foot traffic on domestic properties such as porches, lean to's and conservatories the need for a product which can easily stand up to these harsh conditions. Is our Slate 2000, Which has been used on all these types of roofs using an high quality Aluzinc steel in a 0.9mm thickness for unsurpassed security. All Britmet Tileform products are available in this thickness to give our clients a huge range of profiles to choose from to suit there demands, these profiles are Slate 2000, Profile 49, Plaintile, Ultratile, Villatile and are eave to ridge tile profile Pantile 2000.

The Slate 2000 is fire rated and maintenance free and allows for low pitch roofs down to 12 degrees Is only 7kg/m² in the 0.45mm thickness and Only 11kg/m² for the 0.9mm thickness. Britmet Tileforms slate 2000 is available in 6 beautiful colours and has been BBA approved science 2002.

With only 2.17 slates per metre squared the Britmet Tileform slate 2000 is the fastest slate profile on the market to fix, so 5 times faster than traditional. The slate 2000 is one of Britmet Tileforms most popular products, As the only British manufacture with are factory based in Tipton West Midlands our order to delivery can be turn round within hours. The Slate 20000 tough and durable granulated finish gives great weather resistance and sound reduction, better than traditional materials.

Britmet Tileform Ltd

British Manufacturers of Lightweight Roofing Systems
Tel: 01295 250998 Email: sales@britmet.co.uk



THE BENEFITS OF USING BRITMET TILEFORM LIGHTWEIGHT SLATE 2000 ROOFING SYSTEM FOR ALL YOUR SCHOOL AND EDUCATIONAL BUILDINGS.

FEATURES & BENEFITS

- Designed to give a traditional tile appearance
- Lightweight
- Minimum pitch 12°
- Good vandal resistance (0.9mm steel base)
- Easy to handle
- Offers reduced structure
- Quick installation
- Less labour intensive
- Cost effective
- Maintenance free
- Extensive range of accessories and flashings available
- Fully dry-fixed
- Guaranteed for 40-years against weather penetration
- Full technical support available
- British manufactured

Why not contact us today on 01295 250998 for free technical advice, quotations and how you can benefit from a Britmet Tileform Lightweight slate 2000 Roofing System.

Britmet Tileform Ltd

British Manufacturers of Lightweight Roofing Systems
Tel: 01295 250998 Email: sales@britmet.co.uk